

1/13





Fig. 1



200

Fig. 2

3/13

KEY	VALUE	DESCRIPTION
MTM	9406170	MACHINE TYPE MODEL
SN	0012345	SERIAL NUMBER
VPD	01/02/07	VITAL PRODUCT DATA
CFG	00110031	CONFIGURATION LEVEL
T, 5065	01C00	KEY = TOWER . TOWERTYPE VALUE = TOWER LOCATION
FC 2722-310 O. 5065 . 02L01 . CC08-312	2722 2721	TYPE . TOWERTYPE . TOWERLOCATION . SLOTLLOCATION
MSG		START OF CONFIGURATION MESSAGES
END		END OF CONFIGURATION MESSAGES

Fig. 3A

4/13

308

KEY	VALUE	DESCRIPTION
MTM	9406170	MACHINE TYPE MODEL
SN	0012345	SERIAL NUMBER
VPD	01/02/07	VITAL PRODUCT DATA
CFG	00110031	CONFIGURATION LEVEL
T, 5065	01C00	KEY = TOWER . TOWERTYPE VALUE = TOWER LOCATION
N. 5065 . 02L01 . CC09 O. 5065 . 02L01 . CC08	2722 2721	TYPE . TOWERTYPE . TOWERLOCATION . SLOTLOCATION
MSG		START OF CONFIGURATION MESSAGES
END		END OF CONFIGURATION MESSAGES

302 304 306

Fig. 3B

5/13

400

IBM

PHYSICAL DEVICE PLACEMENT ASSISTANT

402

ENTER SYSTEM:
SELECT BASE SYSTEMS:
MACHINE EQUIPMENT
SPECIFICATION (MES)
NUMBER:

10

▽

404

(PLANT CODE- SERIAL NUMBER)

406

MACHINE TYPE:

9406

▽

408

USER TYPE:

CUSTOMER

▽

410

SUMMIT SYSTEM INFORMATION

412

ADDRESS

400

Fig. 4

IBM

PHYSICAL DEVICE PLACEMENT ASSISTANT

SPECIFY iSERIES OR AS/400 SYSTEM INFORMATION

<p>402</p> <p><input type="radio"/> ENTER SYSTEM:</p> <p><input checked="" type="radio"/> SELECT BASE SYSTEMS:</p> <p><input type="radio"/> MACHINE EQUIPMENT SPECIFICATION (MES) NUMBER:</p>	<p>9406: 10-170BS ▾ (MACHINE TYPE: PLANT CODE-SERIAL NUMBER)</p> <p style="margin-left: 100px;">— 502</p>
<p>USER TYPE:</p>	<p>CUSTOMER ▾ — 410</p>

SUBMIT SYSTEM INFORMATION — 412

Fig. 5

7/13

500

ADDRESS

IBM

PHYSICAL DEVICE PLACEMENT ASSISTANT

402

SPECIFY iSERIES OR AS/400 SYSTEM INFORMATION

ENTER SYSTEM:
SELECT BASE SYSTEMS:
MACHINE EQUIPMENT
SPECIFICATION (MES)
NUMBER:

602

PLANT OF ORIGIN:

ROCHESTER, MN. USA

604

USER TYPE:

CUSTOMER

410

SUBMIT SYSTEM INFORMATION


412

Fig. 6

8/13

Fig. 7

700



9/13




Fig. 8

10/13




Fig. 9

11/13




Fig. 10

12/13




Fig. 11

13/13

1200

[X] [Y] [Z]
[Left Arrow] [Right Arrow] [X] [Y] [Z] [Q] [R] [S] [T] [U] [V] [W] [A]

ADDRESS

IBM

5074 I/O EXPANSION UNIT MODEL: 820

EDIT

RETURN

MACHINE TYPE: 9406
FRAME: 2

SERIAL NUMBER: 0012345
VPD DATE: 00/12/21

PCI CARDS

REAR VIEW - LEFT SIDE

POSITION	POSITION DESCRIPTION	CCIN
C01	IOP	2843
C02	IOA	2748
C03	IOP/IOA	2838
C04	IOA	*2749*
C05	IOP/INS	EMPTY
C06	IOA	EMPTY
C07	IOA	EMPTY
C08	HSL - NOT A PCI POSITION	
C09	IOP/IOA	EMPTY
C10	IOA	EMPTY
C11	IOP/INS	EMPTY
C12	IOA	EMPTY
C13	IOA	EMPTY
C14	IOP/IOA	EMPTY
C15	IOA	EMPTY

REAR VIEW - RIGHT SIDE

PCI CARDS

Fig. 12